

ΑΕΜ	Βαθμός	
8944	7	
9020	7	
8960	0,5	
8958	7	
8942	4	
8957	2	
8934	6	
9071	5	
8983	5	
9064	4	
9067	6	
8931	5	
9007	5	
9001	7	
8976	8	
9011	2	
8992	5	
9048	6	
8950	3	
8948	6	
8940	8	
9006	4	
9017	0	
8979	1	
9040	6	
8990	2	
9056	1	
8954	5	
8938	7	
9079	6	
8973	8	
9021	6	
8941	0,5	
9014	7	εκκρεμότητες στα εργαστήρια
9047	5,5	
8995	3	
9005	3	
9054	6	
9012	3	
8959	4	
8965	9,5	
8963	2	
8966	3	
9008	2	
8926	1	
9066	4	

8971	8
9050	5
9046	0
8987	6
8936	1
9080	7
8989	6
9059	1
9019	7
9068	5
9031	7,5
9000	7
8939	6
8972	1
9018	6
9033	1
9041	1
9061	5
9042	2
9022	6
8732	1
8912	8
8978	1
9077	4
8955	4
8986	7,5
8964	2
9053	1
8945	2
8946	2
8975	4
8970	7
8968	4
8937	1
9052	0,5